


KALEVISION ANAHTAR PRİZ SERİSİ SWITCHES/SOCKETS SERIES

4.2



KALEPORSELEN
elektroteknik sanayi a.ş.

"1969'dan beri aydınlığa giden yol" "Way to brightness since 1969"

KALE VISION SIVA ALTI ANAHTAR ve PRİZ SERİSİ

Anahtarlar bir veya birden fazla elektrik devresinde akımın kesilmesini veya geçmesini sağlamak amacı ile tasarlanmış **cihazlardır**.(TS4915 EN 60669-1)

Anma gerilimi : 250V AC
Anma Akımı : 10 A

Prizler , sabit elektrik besleme tesisatı ile birlikte tesis edilen ve fişli bükülgen bir kablo veya kordon ile bağlantı yapmaya yarayan **cihazlardır**.
(TS40,TS IEC 60884-1)

Anma gerilimi : 250V AC
Anma Akımı : 16 A

İLGİLİ STANDARLAR

Anahtar:TS4915 EN 60669-1, IEC 669-1,VDE 0632
Priz :TS IEC 60884-1/TS 40



Diğer Özellikleri:

- * Ulusal ve Uluslararası standartlara tam uyum sağlanmıştır.
- * Geniş mandallıdır, dekoratif, kolay monte edilir. Kullanımı emniyetli ve çok basittir.
- * Yük altındaki açma kapama sayısı standartların ön gördüğü değerlerin üzerinde olduğundan kullanma ömrü oldukça uzundur.
- * Kontaklar arasında tam temas sağlandığından ark oluşması önlenmiş ,kayıplar ise standardın ön gördüğü seviyenin çok altına indirilmiştir.
- * Kontaklar dayanıklı ve iletkenliği çok yüksek gümüş kadmiyum alaşımından yapılmıştır.
- * Yüksek yalıtım direnci ve elektriki dayanım nedeniyle tam koruma sağlanmıştır.
- * Metal parçalar paslanmaya karşı kaplama yapılarak korunmuştur.
- * Elektrik tesisat tekniğinde tam seridir.
- * Priz kontaklarında tam temas sağlanmış ısınma ve güç kaybı ihmal edilebilir seviyeye indirilmiştir.
- * İletkeni doğrudan kantağa irtibatlayan klemens sistemi mevcuttur.
- * Anahtardan anahtara bağlantı yapma imkanı vardır. (Buat özelliği).

KALEVISION FLUSH MOUNTING SWITCHES AND SOCKET OUTLETS

*Switches: A switch is a device designed to make or break the current in one or more electric circuits.
(TS4915 EN 60669-1)*

*Rated Voltage : 250V AC
Rated Current : 10 A*

*Socket-outlet: Accessory having socket-contacts designed to engage with the pins of a plug and having terminals for the connection of cable(s)
(TS40,TSIEC60884-1)*

*Rated Voltage : 250V AC
Rated Current : 16 A*


STANDARDS

*Switches :TS4915 EN 60669-1, IEC 669-1,VDE 0632
Sockets :TS IEC 60884-1/TS 40*



Characteristics;

- * *In conformity with national and international standards.*
- * *Broad rocker, easy mounting , safe usage*
- * *Long life.*
- * *Maximal contact strength in switches, no electric arc between contacts and minimum energy loss.*
- * *Highly durable and conductive AgCd alloyed contacts.*
- * *High insulation resistance and electrical strength perfect safety .*
- * *Rust proof metal parts.*
- * *Full range.*
- * *Maximal contact strength in socket outlets, negligible heat increase and energy loss.*



KALEVISION SIVA ALTI ANAHTAR SERİSİ
KALEVISION Flush mounting switch outlets

Anma gerilimi / Rated Voltage : 250V AC
Anma Akımı / Rated Current , Anahtar/Switch : AC 10

MAMUL
PRODUCT



Mamul Kodu Product Number	Renk Color	Adet / Kutu Pcs/ Carton	Kg/Kutu Kg/Carton
------------------------------	---------------	----------------------------	----------------------

Anahtar /Switch

41.7901.00	Beyaz/White	10	1,0
41.7901.10	Füme/Gray	10	1,0
41.7901.20	Gümüş/Silver	10	1,0
41.7901.30	Altın/Gold	10	1,0
41.7901.40	Ahşap/Nature	10	1,0

Işıklı anahtar / Light switch



41.7911.00	Beyaz/White	10	1,0
41.7911.10	Füme/Gray	10	1,0
41.7911.20	Gümüş/Silver	10	1,0
41.7911.30	Altın/Gold	10	1,0
41.7911.40	Ahşap/Nature	10	1,0

İkili anahtar /Two way switch



41.7903.00	Beyaz/White	10	1,0
41.7903.10	Füme/Gray	10	1,0
41.7903.20	Gümüş/Silver	10	1,0
41.7903.30	Altın/Gold	10	1,0
41.7903.40	Ahşap/Nature	10	1,0

Işıklı İkili Anahtar/Two way switch with lightening



41.7933.00	Beyaz/White	10	1,0
41.7933.10	Füme/Gray	10	1,0
41.7933.20	Gümüş/Silver	10	1,0
41.7933.30	Altın/Gold	10	1,0
41.7933.40	Ahşap/Nature	10	1,0

Isık Butonu/Light button



41.7904.00	Beyaz/White	10	1,0
41.7904.10	Füme/Gray	10	1,0
41.7904.20	Gümüş/Silver	10	1,0
41.7904.30	Altın/Gold	10	1,0
41.7904.40	Ahşap/Nature	10	1,0

Işıklı Isık Butonu/Light button with lightening



41.7944.00	Beyaz/White	10	1,0
41.7944.10	Füme/Gray	10	1,0
41.7944.20	Gümüş/Silver	10	1,0
41.7944.30	Altın/Gold	10	1,0
41.7944.40	Ahşap/Nature	10	1,0

Vaevien/Two circuit switch



41.7905.00	Beyaz/White	10	1,0
41.7905.10	Füme/Gray	10	1,0
41.7905.20	Gümüş/Silver	10	1,0
41.7905.30	Altın/Gold	10	1,0
41.7905.40	Ahşap/Nature	10	1,0

Vaevien/Two circuit switch with lightening



41.7955.00	Beyaz/White	10	1,0
41.7955.10	Füme/Gray	10	1,0
41.7955.20	Gümüş/Silver	10	1,0
41.7955.30	Altın/Gold	10	1,0
41.7955.40	Ahşap/Nature	10	1,0

KALEVISION SIVA ALTI ANAHTAR SERİSİ
KALEVISION Flush mounting switch outlets

Anma gerilimi / Rated Voltage : 250V AC
Anma Akımı / Rated Current , Anahtar/Switch : AC 10

MAMUL
PRODUCT



Mamul Kodu Product Number	Renk Color	Adet / Kutu Pcs/ Carton	Kg/Kutu Kg/Carton
------------------------------	---------------	----------------------------	----------------------

İkili vaevien / Two circuit switch (two way)

41.7935.00	Beyaz/White	10	1,0
41.7935.10	Füme/Gray	10	1,0
41.7935.20	Gümüş/Silver	10	1,0
41.7935.30	Altın/Gold	10	1,0
41.7935.40	Ahşap/Nature	10	1,0



Ara vaevien / Two circuit switch

41.7945.00	Beyaz/White	10	1,0
41.7945.10	Füme/Gray	10	1,0
41.7945.20	Gümüş/Silver	10	1,0
41.7945.30	Altın/Gold	10	1,0
41.7945.40	Ahşap/Nature	10	1,0



Jaluzi kumanda anahtarı /Two way switch for jaluzi

41.7934.00	Beyaz/White	10	1,0
41.7934.10	Füme/Gray	10	1,0
41.7934.20	Gümüş/Silver	10	1,0
41.7934.30	Altın/Gold	10	1,0
41.7934.40	Ahşap/Nature	10	1,0



Zil butonu/Bell button

41.7914.00	Beyaz	10	1,0
41.7914.10	Füme	10	1,0
41.7914.20	Gümüş	10	1,0
41.7914.30	Gold	10	1,0
41.7914.40	Ahşap	10	1,0



Işıklı zil butonu/Bell button with lightening

41.7924.00	Beyaz	10	1,0
41.7924.10	Füme	10	1,0
41.7924.20	Gümüş	10	1,0
41.7924.30	Gold	10	1,0
41.7924.40	Ahşap	10	1,0



Kapı butonu/Door Button

41.7954.00	Beyaz	10	1,0
41.7954.10	Füme	10	1,0
41.7954.20	Gümüş	10	1,0
41.7954.30	Gold	10	1,0
41.7954.40	Ahşap	10	1,0



Işıklı kapı butonu/Door Button with lightening

41.7964.00	Beyaz/White	10	1,0
41.7964.10	Füme/Gray	10	1,0
41.7964.20	Gümüş/Silver	10	1,0
41.7964.30	Altın/Gold	10	1,0
41.7964.40	Ahşap/Nature	10	1,0



Dimmer/Dimmer

41.7910.00	Beyaz/White	10	1,0
41.7910.10	Füme/Gray	10	1,0
41.7910.20	Gümüş/Silver	10	1,0
41.7910.30	Altın/Gold	10	1,0
41.7910.40	Ahşap/Nature	10	1,0

KALEVISION SIVA ALTI PRİZ SERİSİ
KALEVISION Flush mounting socket outlets

Anma gerilimi / Rated Voltage : 250V AC
Anma Akımı / Rated Current , Priz/Socket : AC 16A- DC 10A

MAMUL
PRODUCT



Mamul Kodu Product Number	Renk Color	Adet / Kutu Pcs/ Carton	Kg/Kutu Kg/Carton
------------------------------	---------------	----------------------------	----------------------

Priz / Socket

42.7902.00	Beyaz/White	10	1,0
42.7902.10	Füme/Gray	10	1,0
42.7902.20	Gümüş/Silver	10	1,0
42.7902.30	Altın/Gold	10	1,0
42.7902.40	Ahşap/Nature	10	1,0

Çocuk korumalı priz / Socket of child security

42.7922.00	Beyaz/White	10	1,0
42.7922.10	Füme/Gray	10	1,0
42.7922.20	Gümüş/Silver	10	1,0
42.7922.30	Altın/Gold	10	1,0
42.7922.40	Ahşap/Nature	10	1,0

Topraklı priz /Socket with earth contact

42.7906.00	Beyaz/White	10	1,0
42.7906.10	Füme/Gray	10	1,0
42.7906.20	Gümüş/Silver	10	1,0
42.7906.30	Altın/Gold	10	1,0
42.7906.40	Ahşap/Nature	10	1,0

Çocuk korumalı topraklı priz /Socket of child security

42.7926.00	Beyaz/White	10	1,0
42.7926.10	Füme/Gray	10	1,0
42.7926.20	Gümüş/Silver	10	1,0
42.7926.30	Altın/Gold	10	1,0
42.7926.40	Ahşap/Nature	10	1,0

Kapaklı topraklı priz/Socket with hinged cover

42.7907.00	Beyaz/White	10	1,0
42.7907.10	Füme/Gray	10	1,0
42.7907.20	Gümüş/Silver	10	1,0
42.7907.30	Altın/Gold	10	1,0
42.7907.40	Ahşap/Nature	10	1,0

UPS Topraklı priz/UPS Socket

42.7936.00	Beyaz/White	10	1,0
42.7936.10	Füme/Gray	10	1,0
42.7936.20	Gümüş/Silver	10	1,0
42.7936.30	Altın/Gold	10	1,0
42.7936.40	Ahşap/Nature	10	1,0

Telefon Prizi/Telephone socket

42.7908.00	Beyaz/White	10	1,0
42.7908.10	Füme/Gray	10	1,0
42.7908.20	Gümüş/Silver	10	1,0
42.7908.30	Altın/Gold	10	1,0
42.7908.40	Ahşap/Nature	10	1,0

Nümeris telefon prizi/Numeris telephone socket

42.7988.00	Beyaz/White	10	1,0
42.7988.10	Füme/Gray	10	1,0
42.7988.20	Gümüş/Silver	10	1,0
42.7988.30	Altın/Gold	10	1,0
42.7988.40	Ahşap/Nature	10	1,0

KALEVISION SIVA ALTI PRİZ SERİSİ
KALEVISION Flush mounting socket outlets

Anma gerilimi / Rated Voltage : 250V AC
Anma Akımı / Rated Current , Socket/Socket : AC 16A – DC10A

MAMUL
PRODUCT



Mamul Kodu Product Number	Renk Color	Adet / Kutu Pcs/ Carton	Kg/Kutu Kg/Carton
------------------------------	---------------	----------------------------	----------------------

İkili nümeris telefon prizi/Double numeris socket

42.7928.00	Beyaz/White	10	1,0
42.7928.10	Füme/Gray	10	1,0
42.7928.20	Gümüş/Silver	10	1,0
42.7928.30	Altın/Gold	10	1,0
42.7928.40	Ahşap/Nature	10	1,0

Data prizi /Data socket

42.7981.00	Beyaz/White	10	1,0
42.7981.10	Füme/Gray	10	1,0
42.7981.20	Gümüş/Silver	10	1,0
42.7981.30	Altın/Gold	10	1,0
42.7981.40	Ahşap/Nature	10	1,0

İkili data prizi / Double data socket

42.7982.00	Beyaz/White	10	1,0
42.7982.10	Füme/Gray	10	1,0
42.7982.20	Gümüş/Silver	10	1,0
42.7982.30	Altın/Gold	10	1,0
42.7982.40	Ahşap/Nature	10	1,0

Data prizi+ nümeris telefon prizi /Data socket +numeris socket

42.7983.00	Beyaz/White	10	1,0
42.7983.10	Füme/Gray	10	1,0
42.7983.20	Gümüş/Silver	10	1,0
42.7983.30	Altın/Gold	10	1,0
42.7983.40	Ahşap/Nature	10	1,0

TV prizi/TV antenna socket

42.7909.00	Beyaz/White	10	1,0
42.7909.10	Füme/Gray	10	1,0
42.7909.20	Gümüş/Silver	10	1,0
42.7909.30	Altın/Gold	10	1,0
42.7909.40	Ahşap/Nature	10	1,0

TV-RADYO Prizi/TV-RADIO socket

42.7919.00	Beyaz/White	10	1,0
42.7919.10	Füme/Gray	10	1,0
42.7919.20	Gümüş/Silver	10	1,0
42.7919.30	Altın/Gold	10	1,0
42.7919.40	Ahşap/Nature	10	1,0

Uydu(SAT) prizi (Sonlu) / Satellite socket (limited)

42.7929.00	Beyaz/White	10	1,0
42.7929.10	Füme/Gray	10	1,0
42.7929.20	Gümüş/Silver	10	1,0
42.7929.30	Altın/Gold	10	1,0
42.7929.40	Ahşap/Nature	10	1,0

Uydu (SAT) prizi (Geçişli)/Satellite socket(transtional)

42.7939.00	Beyaz/White	10	1,0
42.7939.10	Füme/Gray	10	1,0
42.7939.20	Gümüş/Silver	10	1,0
42.7939.30	Altın/Gold	10	1,0
42.7939.40	Ahşap/Nature	10	1,0

KALE VISION AKSESUARLAR
KALE VISION Accessories


Kordon
Colour clips

42.7991.00	Beyaz/White	10	1,0
42.7991.10	Füme/Gray	10	1,0
42.7991.20	Gümüş/Silver	10	1,0
42.7991.30	Altın/Gold	10	1,0
42.7991.40	Ahşap/Nature	10	1,0




Yatay ve dikey çiftli çerçeve
Double frame horizontal and vertical

42.7995.00	Beyaz/White	10	1,0
42.7995.10	Füme/Gray	10	1,0
42.7995.20	Gümüş/Silver	10	1,0
42.7995.30	Altın/Gold	10	1,0
42.7995.40	Ahşap/Nature	10	1,0



Yatay ve dikey üçlü çerçeve
Triple frame horizontal and vertical

42.7996.00	Beyaz/White	10	1,0
42.7996.10	Füme/Gray	10	1,0
42.7996.20	Gümüş/Silver	10	1,0
42.7996.30	Altın/Gold	10	1,0
42.7996.40	Ahşap/Nature	10	1,0





KALEPORSELEN elektroteknik sanayi a.ş.

Halkalı Caddesi No: 160 34620

Sefaköy-K.Çekmece İstanbul/TÜRKİYE

Tel.(0212) 698 95 80 (pbx) Fax : (0212) 698 95 97

www.kaleporselele.com.tr kaleporselele@kaleporselele.com.tr

TÜRKİYE GENEL SATICIMIZ

KALE Power Controls

ELEKTRİK SİSTEMLERİ A.Ş.

Eski Üsküdar Yolu

Bodur İş Merkezi No:8 Kat: 6

34752 İçerenköy/İSTANBUL

Tel.: (0216) 574 34 00 (Pbx)

Fax.: (0216) 574 34 05-06

İSTANBUL BÖLGE TEMSİLCİLİĞİ

Okçu Musa Cad. Erseven Han No:70

Kat : 1 D:2 Karaköy / İSTANBUL

Tel. : (0212) 297 86 83

Fax.: (0212) 297 86 84

SAMSUN BÖLGE TEMSİLCİSİ

Derecik Mah.Ankara Cad. No: 13

Yeşilkent / SAMSUN

Tel. : (0362) 438 84 34-35

Fax.: (0362) 438 84 35

ANKARA BÖLGE TEMSİLCİLİĞİ

Konya Devlet karayolu Kale Seramik Binası

No:82/1 06520 Balgat / ANKARA

Tel. : (0312) 286 51 86-87

Fax. : (0312) 286 51 85

ADANA BÖLGE TEMSİLCİLİĞİ

Turan Cemal Beriker Bulvarı

Gizerler İş Merkezi No:46 K:3 D:7

Seyhan / ADANA

Tel. : (0322) 459 74 65

Fax.: (0322) 459 74 67

İZMİR BÖLGE TEMSİLCİLİĞİ

Gaziler Cad. No:478/204 Yenişehir

İş Merkezi 35220 Yenişehir / İZMİR

Tel. : (0232) 457 50 51

Fax.: (0232) 433 49 04

BURSA BÖLGE TEMSİLCİLİĞİ

Yeni Yalova Yolu 15 km

Ovaakça Çıkışı 16370 / BURSA

Tel : (0224) 267 21 80

Fax : (0224) 267 21 81

Yetkili Satıcı :
Authorized Dealer: